

---

# **sRNA-workflow Documentation**

*Release 1.0*

**Bruno Costa**

**Apr 18, 2023**



---

# Contents

---

<b>1</b>	<b>Brief description</b>	<b>3</b>
1.1	Guide . . . . .	3
1.1.1	Introduction . . . . .	3
1.1.2	Stages . . . . .	3
1.1.3	Installation . . . . .	5
1.1.4	Config files . . . . .	9
1.1.5	Getting Started . . . . .	12
1.1.6	Help . . . . .	16
<b>2</b>	<b>Indices and tables</b>	<b>17</b>



**Attention:** sRNA-workflow is now called miRPursuit.

---

**Important: This is still under construction.** But we are working hard to complete this page.

---



---

## Brief description

---

This is an open source project, developed at the Forest Biotech lab group [ITQB-NOVA](#). miRPursuit is a pipeline suited for running end-to-end analysis of small RNA (sRNA) data, from the raw data to the annotated reads. You can execute this pipeline in parallel for all your libraries, ensuring that all libraries are treated in the same way, thus providing a high degree of reproducibility in your analysis. The execution of this program produces a detailed documentation of all the parameters used, visible in the logging files. Another major feature is that all the steps can be customized, making it particularly useful when working with non-model organisms.

## 1.1 Guide

### 1.1.1 Introduction

miRPursuit is an open source project developed by [Forest Biotech group](#) to automate the management of workloads in

#### Objectives

The main goal of this pipeline is to aggregate independent modules into a pipeline to automate the process of extracting information from sequence data.

### 1.1.2 Stages

This is an overview of the organizational structure of miRPursuit. This is useful if you want to re-do the analysis of the pipeline with different parameters only from a specific stage onward. This way you can avoid unnecessary repeating of stages.

**The workflow is divided in 4 main stages:**

- *Pre-preprocessing*
- *Filtering*
- *Annotation*

• Reporting




Image 1 - miRPursuit general schema.

## Pre-preprocessing

There are multiple entry points depending on the form of the raw data. Some NGS sequencing service providers might ship your data already trimmed for adaptors, or you might want to use the raw data provided directly by the sequencing equipment, or you might want to use fasta files compiled from another source.

By using miRPursuit you can specify the type of input file you will use. The most simple is the **-fasta** flag that searches the inserts\_dir path ( see config files [workdir.cfg](#) ) for the target `.fa/.fasta` libraries and makes a copy to the project folder. In case no `.fa/.fasta` files are found the program will also search for compressed `.fa.gz/.fasta.gz` files and proceed to uncompress them.

In case the libraries are still in the fastq format the **-fastq** flag should be given. This method does a quality control (fastqc not yet but soon) and then converts the fastq libraries to `.fasta`, analogously to what is done with “fasta” files, compressed `fq.gz/fastq.gz` files will be uncompressed if no `.fq/.fastq` file is found.

Additionally, the **-trim** flag can be set to remove adaptor sequences. This requires the adaptor sequence to be stored in the adaptor var (see config files [workdir.cfg](#) ).

## Filtering

**Filtering Databases** The fasta sequences are filtered based on their length, abundance, low complexity and t/r RNA are removed. These parameters can be set in the [wbench\\_filter.cfg](#) configuration file.

**Genome and miRBase** The reads are further filtered by mapping them to the setup genome file with ‘0’ mismatches using patman. These parameters can be set in the [patman\\_genome.cfg](#) configuration file.



## Annotation

**Identification of conserved miRNAs (miRBase)** The mapped reads are then aligned to the miRBase (ref) database using miRProf with the parameter set in the `wbench_mirprof.cfg` configuration file. The genome mapped reads are separated into two files per library those that mapped with miRBase (conserved reads) and those that did not (non conserved reads).

---

**Important:** Adding previously known sequences to the miRBase set, requires following some rules. The fasta headers of the known sequences must respect the following rules:

---

Plants: Three letter code of sepecies “-” miR + identification of the source with letters + serialization

Example:

```
>ath-miRmyDB00001
Outputs:
>all-combined-mirmydb00001_1_Abundance (XX)
```

**tasiRNA prediction** The non conserved reads are run through the `ta-si predictor` to identify trans acting siRNA (tasiRNA) using the parameters in the `wbench_tasi.cfg`

**Novel miRNA** The non conserved reads are also used to predict novel miRNA with `miRCat` by searching the genome for their respective precursor nucleotide sequences in the setup genome file. The parameters used by `miRCat` are set in the `wbench_mircat.cfg` configuration file and the genome file is set in the `workdirs.cfg`. If memory (RAM) restrictions apply, the genome can be split into several parts and `miRCat` will be run once for each part. The various parts should all be held in the same directory with a common name which includes the word part and the sequential number. Afterwards the resulting files will be merged and filtered to remove miRNAs that paired with more genome sites than those specified in the configuration file `wbench_mircat.cfg`.

## Reporting

**Merging results and stepwise stats** The number of sequences kept in each step are given for each library, both total numbers and distinct numbers of sequences. The identified sequences and their respective absolute count are stored in a tab separate value file (.tsv). This provides easy exportation to most statistical softwares as well as MS Excel. The precursor predictions are agregated in the `/counts/global-miRCat.csv` file, Showing all the non-redundant precursores predicted for each miRNA.

## Targets

**Validation of targets** Target validation is done based on the supplied degradome and transcriptome information, which are both necessary to perform this analysis. The file paths are stored in the `workdirs.cfg` configuration file and the parameters are stored in `wbench_paresnip.cfg` configuration file.

### 1.1.3 Installation

This pipeline is intended to be run in a Linux environment. Installation can be accomplished by grabbing a copy of the project from [github](#) and then running the installation script. Below are a few lines to help guide you through the installation process.

- The pipeline is optimized to run in the command line as detailed below.
- To open a terminal on a debian based system press: **CTRL + ALT + T**

- To install on a remote machine, make a connection via ssh and navigate to the desired path of installation.

### Download program

Grab a copy from 'github <<https://github.com/forestbiotech-lab/miRPrusuit>>'

- **If you have git installed on you machine.** Simply navigate to your chosen directory:

```
#Clone project with git
#This might prompt you for your github credentials. If authentication fails
#try again and it should run without any prompts.
git clone https://github.com/forestbiotech-lab/miRPrusuit.git
cd miRPursuit
```

- **Without git installed on your system. Installing using git clone is preferred since it allows updating to remove bugs or get**   
Simply visit [github project](#) and download .zip file.

```
#Download through command line
wget https://github.com/forestbiotech-lab/miRPursuit/archive/master.zip -O_
↳miRPursuit.zip
```

Extract contents to chosen directory

```
#Extract contents of archive
unzip miRPursuit.zip
```

### Install Script

Run the *install.sh* file:

```
cd [toPath]/miRPrusuit
./install.sh
```

---

**Important:** Make sure you restart your terminal/computer to update your [path](#) so PatMaN can be accessed.

---

Alternatively you can source your startup shell file. Example for Bash shell.:

```
source ~/.bashrc
```

Congratulations you should now have miRPursuit installed in your system.

Check [help](#) section for information on help and how to send feedback about this project.

**Configure parameters** Now check that all the parameters are set to your convenience.

Go to [configuration page](#).

### Dependencies

- FastQC
- PatMaN
- Java

- FASTX-Toolkit
- UEA workbench

### For headless (Server/Computer with no screen) server (no X server running)

- xvfb
- libswt-gtk-java
- gkt3

---

**Important:** On Ubuntu these can be installed with apt

---

Run the following command:

```
sudo apt-get update
sudo apt-get install xvfb libswt-gtk-java gkt3
```

Then do not forget to add the HEADLESS flag on the first run or manually set the var HEADLESS to TRUE in the Software config .

### Path

To ensure persistence of [environmental variables \(PATH\)](#) throughout sessions, the paths to the dependencies are stored in shell scripts. The installation script checks which shell is being used by the system and saves the path to the corresponding initiation shell script.

Table 1 shows which shells are contemplated in the installation script. If your system uses a shell that is not listed (others) then the file \$HOME/.profile is created. You should ensure that your shell is reading given shell script. In case your shell is not using the listed shell file, add the following line of code, to a shell script that is executed on startup of the shell you use.:

```
source $HOME/.profile
```

Table 1 - List of shells and it's associated shell script.

Shell	Shell scripts
bash	\$HOME/.bashrc
zsh	\$HOME/.zshrc
fish	\$HOME/.config/fish/config.fish
ksh	\$HOME/.profile
tcsk	\$HOME/.login
others	\$HOME/.profile

### Detailed installation guide

Step by step guide through installation script.

### Installation of dependencies

The default directory for storing dependencies is `${HOME}/.Software`, it will be created if it doesn't exist. To use another directory change the variable `SOFTWARE` in `software_dirs.cfg`.

#### PatMaN

The installation script starts by checking if `PatMaN` is installed on the system. If it is not available on the system it will be downloaded to the directory in the variable `SOFTWARE`. The downloaded archive is extracted and added to the path.

#### Java

miRPursuit works best with Oracle's `Java v.8`. So instead of changing your system's installed Java VM miRPursuit uses the Java VM in the variable `JAVA_DIR` in `software_dirs.cfg`. If the variable is empty the installation script will download Java, extract it and set `JAVA_DIR` variable to the correct directory.

#### FASTX-Toolkit

If `fastq_to_fasta` from `FASTX-Toolkit` is not available on the system it will be downloaded to the directory in the variable `SOFTWARE`. The downloaded archive will be extracted and added to the path.

#### UEA sRNA workbench

`UEA sRNA workbench` is run by miRPursuit from the `WBENCH_DIR` variable in `software_dirs.cfg`. If the variable isn't set the installation script will download the workbench and set up the variable.

#### License acceptance

---

**Important:** Since usage of `UEA sRNA workbench` requires acceptance of its terms of use. On your first run you will be prompted to read and accept their terms of use. Alternatively you can run their GUI and accept their terms of use in a graphical environment.

---

#### Setting variables in `workdirs.cfg`

This section will guide you through the command prompts that will be issued.

1. Create source data folder? This creates a directory for storing resources such as genomes, miRBase, etc. As a good practise it is recommended to store every thing in a common folder structure. Default is `$HOME/source_data`
  - `Y` - Default directory is created.
  - `N` - Specify an alternate directory.

## 1.1.4 Config files

There are three types of config files, General use, Module specific and System parameters.

**General use** Are those that are used by the main script to feed specific locations or general configuration parameters.

**Module specific** Are configurations that are used by the module. The names of these config files start with the wbench prefix.

**System parameters** These configs hold the values of colors and others miscellaneous variables for ease of access.

### General use

These two config files should be properly configured, to ensure the program runs. The install script will fill out all variables.

- software\_dirs.cfg:

```
#Path were install script will install software
SOFTWARE=
#Path to workbench http://srna-workbench.cmp.uea.ac.uk/
WBENCH_DIR=
#Path to java use 1.7 or greater
JAVA_DIR=
HEADLESS=FALSE
#Number of times program has been run
RUN=0
GIT=0
```

---

**Important:** If you are running miRPursuit on a [headless](#) server set HEADLESS=TRUE and make sure you installed the dependencies necessary for the running on a [headless](#) server. Check [install](#) section for more details on the dependencies necessary for headless mode.

---

The **SOFTWARE** variable is the path to the directory were the install script will install all necessary dependencies. **WBENCH\_DIR**

- workdirs.cfg:

```
#LINES THE SWITH # ARE INFORMATIONAL ONLY
#Workdir is the path to the directory where this program will run data
#workdir must end with trailing "/"
workdir=${HOME}/miRPursuit_Projects/miRtest/
#Path to the mirbase database. Go to http://www.mirbase.org or download latest
↪from: ftp://mirbase.org/pub/mirbase/CURRENT/
MIRBASE=${source_data}/mirbase/mature.fa
#Used by java
MEMORY="4g"
#Set this to the max number of processed that can be used
THREADS=2
#Path to the directory where input data is located
#Test directory in [pathToMiRPursuit]/testDataset
INSERTS_DIR=${SOURCE_DATA}/sRNA/
#Path to the genome to be used
#Test genome can be found here [pathToMiRPursuit]/testDataset/Genome/Arabidopsis_
↪thaliana.TAIR10.dna_rm.chromosome.4.fa
GENOME=${SOURCE_DATA}/genomes/my_genome.fa
```

(continues on next page)

(continued from previous page)

```

#Path to the genome to be used by mircat. Leave this, as ${GENOME} if no memory_
↳restrictions apply to your case. Check manual on using parts
GENOME_MIRCAT=${GENOME}/.fa/part-1.fa}
#The suffix of the filter to be used. Check /config/workbench_filter_*.cfg
FILTER_SUF=18_26_5
#Adaptor trimming
#You must set the --trim flag
ADAPTOR="TGGAATTCTCGGGTGCCAAGG"
#Deprecated - Soon removed
LCSCIENCE_LIB=
#These var are only used for target prediction (PAREsnp)
TRANSCRIPTOME=
DEGRADOME=

```

## Module specific

There is a config file for each module in the miRPursuit/config directory. The default values are posted, for further reference, please consult the website of the respective tool.

- wbench\_filter.cfg - Filter your sRNA sequences. Length, abundance, T/R RNA:

```

#Broad range default values
min_length=18
max_length=26
min_abundance=5
max_abundance=2147483647
norm_abundance=false
filter_low_comp=true
filter_invalid=true
trrna=true
trrna_sense_only=false
filter_genome_hits=false
filter_norm_abund=false
filter_kill_list=false
add_discard_log=false
genome=null
kill_list=null
discard_log=null

```

- wbench\_mircat.cfg - miRCat predict novel miRNAs through alignment with genome to find putative precursors:

```

#Default values (Broad)
extend=100.0
min_energy=-25.0
min_paired=17
max_gaps=3
max_genome_hits=16
min_length=18
max_length=26
min_gc=20
max_unpaired=60
max_overlap_percentage=80
min_locus_size=1
orientation=80
min_hairpin_len=60

```

(continues on next page)

(continued from previous page)

```

complex_loops=true
pval=0.05
min_abundance=1
cluster_sentinel=200
Thread_Count=12

#Default (plants)
extend=100.0
min_energy=-25.0
min_paired=17
max_gaps=3
max_genome_hits=16
min_length=20
max_length=22
min_gc=20
max_unpaired=50
max_overlap_percentage=80
min_locus_size=1
orientation=80
min_hairpin_len=60
complex_loops=true
pval=0.05
min_abundance=1
cluster_sentinel=200
Thread_Count=20

```

- `wbench_mirprof.cfg` - **miRProf** identifies conserved miRNA, through alignment to the **miRBase** database of miRNA:

```

#Default values
mismatches=0
overhangs=true
group_mismatches=true
group_organisms=true
group_variant=true
group_mature_and_star=false
only_keep_best=true
min_length=18
max_length=26
min_abundance=5

```

- `wbench_tasi.cfg` - **ta-si predictor**, identifies phased 21nt sRNAs characteristic of ta-siRNA loci:

```

#Default values
p_val_threshold=1.0E-4
min_abundance=2

```

- `parensnip.cfg` - **PAREsnip** validates targets of regulation by sRNAs requires degradome and a transcriptome sequences:

```

#Default values
min_sRNA_abundance=5
subsequences_are_secondary_hits=false
output_secondary_hits_to_file=false

```

(continues on next page)

(continued from previous page)

```

use_weighted_fragments_abundance=true
category_0=true
category_1=true
category_2=true
category_3=true
category_4=false
discard_tr_rna=true
discard_low_complexity_srnas=false
discard_low_complexity_candidates=false
min_fragment_length=20
max_fragment_length=21
min_sRNA_length=19
max_sRNA_length=24
allow_single_nt_gap=false
allow_mismatch_position_11=false
allow_adjacent_mismatches=false
max_mismatches=4.0
calculate_pvalues=true
number_of_shuffles=100
pvalue_cutoff=0.05
do_not_include_if_greater_than_cutoff=true
number_of_threads=23
auto_output_tplot_pdf=false

```

- `patman_genome.cfg` - Patman a pattern matcher for short sequences:

```

#Default values
#Set maximum edit distance to N (Default: 0)
EDITS=0
#Set maximum number of gaps to N (default: 0)
GAPS=0
#Do not match reverse-complements (default: FALSE)
SINGLESTRAND=FALSE
#Prefetch N nodes (default: 3) Related with performance
PREFETCH=3
#####
#Not implemented#
#####
#Interpret ambiguity codes in patterns (Flag for using ambicodes)
#ambicodes=FALSE

```

## System parameters

These are generally hardcoded, don't change these unless you know what you are doing.

- `term-colors.cfg` - Colors for terminal and other useful vars.

### 1.1.5 Getting Started

So at this point you have already completely *installed* `<install.html>`\_ miRPursuit. You should be familiar with the various *stages* `<stages.html>`\_ in the pipeline and have step up all the necessary [configuration files](#). You are now ready to run miRPursuit for the first time.

You can run with these default settings or you can start with your customized settings. MiRBase will be downloaded by the install script but you should have a genome file or download one to run (Try [Phytozome](#) or [ensemble plants](#)).



For the purpose of this example all instructions will be based on the following configurations in Table 3.

Table 3 - Example configuration of workdirs.cfg

Variable	Value
workdir	\${HOME}/miRtest/
MEMORY	“4g”
THREADS	2
INSERTS_DIR	\${miRPursuit}/testDataset/
GENOME	\${SOURCE_DATA}/Genome/Genome.fa
GENOME_MIRCAT	\${GENOME}
FILTER_SUF	18_26_5
ADAPTOR	“TGGAATTCTCGGGTGCCAAGG”

Bash variables in table 3 and their values:

```
(Keep it simple, store all dependant DBs in $SOURCE_DATA it will be simpler to
↳ configure. But substitute appropriately.)
SOURCE_DATA=${HOME}/source_data
(This is the path used in this example. Depending on where you stored your
↳ installation, you should substitute appropriately.)
miRPursuit=${HOME}/git/miRPursuit
(In this case we don't specify a user. In reality this would expand to your home dir.
↳ /home/[user])
HOME=/home/
```

## How to run the program

**Important:** If you are running on a server via ssh, or in some other manner that does not start an X server. Consider using the headless flag ( `-headless` ) consult [installation section](#) to see more details on this issue.

Run the command:

```
${miRPursuit}/./miRPursuit.sh -f 1 -l 2 --fasta test_dataset-
```

**This is the simplest test case. Let’s break down this command.**

- `${miRPursuit}/./miRPursuit.sh` - This is used to execute the main script to start miRPursuit. You can simply run `./miRPursuit` if you’re current path is already in the miRPursuit directory.
- `-f` - The number of the first library
- `-l` - The number of the last library
- `--fasta test_dataset-` - Run in fasta mode, and use all libraries that have the string “test\_dataset-” preceding the sequential numbering.

**Important:** MiRPursuit is designed to run an interval of libraries. So it will run all libraries starting with **test\_dataset-1.fa** (`-f` first in this example 1), up to **test\_dataset-1.fa** (`-l` last in this example 2). The files to be processed in your **INSERTS\_DIR** should have a common string along with a sequential numbering.

However you can also use it in **specific file mode**. That is specify the file you want to process for a single run.

```

-> $ miRPursuit/miRPursuit.sh -f 1 -l 2 --fasta test_dataset-
Java set up: OK
Workbench set up OK
Running pipeline with the following arguments:
FIRST Library          = 1
Last Library           = 2
Number of threads     = 2
Filter suffix         = 18_26_5
Genome                 = /home/source_data/Genome/Genome.fa
Genome mircat          = /home/source_data/Genome/Genome.fa
miRBase               = /home/source_data/mirbase/mature.fa
Working directory (workdir) = /home/miRtest/
sRNA directory (INSERTS_DIR)= /home/git/miRPursuit/testDataset/
Running in fasta mode.
Step 2 - Filtering against genome and mirbase          [#####] 40%
Attention - Filtering lib01_filt-18_26_5 with genome generated no reads but program will continue
Step 5 - Done, files are in workdir                    [#####] 100% Progress bar
This workflow was created by Forest Biotech Lab - iBET, Portugal
Build around the UEA srna-workbench. http://srna-workbench.cmp.uea.ac.uk/the-uea-small-rna-workbench-version-3-2/
Feedback: brunocosta@itqb.unl.pt
Finished - sRNA-workflow finished successfully. Runtime: 00:03:12

```

**Figure 2** - miRPursuit full run in fasta mode for libraries 1 and 2.

In Figure 2, a complete run of miRPursuit is shown using the above specified command. The first procedure the pipeline does is to check that all variables are defined and their values link to existing files. If any of the mandatory files is missing a warning will be issued and you will have to start the run again (Fig. 3).

```

-> $ miRPursuit/miRPursuit.sh -f 1 -l 2 -fasta -
Java set up: OK
Workbench set up OK
Running pipeline with the following arguments:
FIRST Library          = 1
Last Library           = 2
Number of threads     = 1
Filter suffix         = 18_26_5
Error - The given genome file doesn't exist please check the file exists. Correct the config file

```

**Figure 3** - Warning issued by miRPursuit due to lack of genome file.

During the miRPursuit run the progress bar will update you as to which stage is in execution, along with its percentage of conclusion. Once the run is finished a finished message will be given as shown in figure 2.

---

**Important:** Tip: In order to run on remote servers without the need to stay connected try `screen`

---

## Run options

### The full listing of the options available

- **-fl-lib-first** First library to be processed.
- **-ll-lib-last** Last library to be processed.
- **-hl-help** See the list of options.

### Optional arguments

- **-lib** Set the library number that should be assigned to the specified file. (Only relevant if using specific files)
- **-fasta** Set the program to start using fasta files. As an argument supply the file name that identifies the series to be used. Ex: Lib\_1.fa, Lib\_2.fa, .. -> argument should be **Lib\_**
- **-fasta** (In specific mode. i.e. no -f and -l) Set the program to start using fasta files. If no sequence of libraries are given then the argument can be a specific fasta file (uncompressed for now).

- **-fastq** Set the program to start using fastq files. As an argument supply the file name that identifies the series to be used. Ex: Lib\_1.fq, Lib\_2.fq, .. -> argument should be **Lib\_**, if no .fq file is present but instead a .fastq.gz file will additionally be extracted automatically.
- **-trim** Set this flag to perform adaptor trimming. No argument should be given. The adaptor is in the workdirs.cfg config file in the variable ADAPTOR.
- **-no-genome-filter** Set this flag ignore genome filtering
- **-sl-step** Step is an optional argument used to jump steps to start the analysis from a different point
- Step 1: Adaptor trimming (If flagged) & Wbench Filter
- Step 2: Filter Genome & mirbase
- Step 3: Tasi
- Step 4: Mircat
- Step 5: Reporting
- **-headless** Set this flag to run on headless server. Requires Xvfb be installed on your system. Along with libswt-gtk-3-java and gkt3.
  - sudo apt-get update
  - sudo apt-get install xvfb libswt-gtk-java gkt3
- **-no-prompt** Set this flag to skip all prompts.
- **-no-genome-filter** Set this flag ignore genome filtering

#### Specific file mode

- **-fasta** (In specific mode. i.e. no -f and -l) Set the program to start using fasta files. If no sequence of libraries are given then the argument can be a specific fasta file (uncompressed for now).
- **-fasta** (In specific mode. i.e. no -f and -l) Set the program to start using fasta files. If no sequence of libraries are given then the argument can be a specific fasta file (uncompressed for now).
- **-lib** (Optional) (In specific mode. i.e. no -f and -l) Set the library number to be attributed to the file. Should be coupled with **-fasta** or **-fastq**.

Both fasta and fastq options work in the same manner they require the preceding string to the sequential numbering that all libraries have in common. Ex:

- Lib01.fa
- Lib02.fa
- Lib03.fa

The **common string** is “Lib” or “ib” or “b”, the **sequential numbering** is 01,02,03. And .fa is the extension.

**Attention:** Avoid using spaces in file names. As it might generate unexpected errors.

If the **-trim** flag is present in the command the reads are then searched for adaptor sequences using the fastx\_clipper software of the FASTX toolkit; sRNA sequences are assumed to be the string of nucleotides between the 5’ and 3’ adaptor sequences.

Additionally if the **-fastq** option is used. A fastqc quality report will be generated for each of the libraries.

## 1.1.6 Help

### Help and feature request

I'm glad to help you out, all feedback is valuable. Please open an [issue](#) on the github project. This way you can see if it is something that has already been asked by others. I will respond as soon as possible. Opening issues also allows to set milestones and to include changes to the project to accommodate requests.

## CHAPTER 2

---

### Indices and tables

---

- `genindex`
- `modindex`
- `search`